

Assignment #1

Date Due: October 17, 2025

Total: 100 marks

1. Chapters 1 and 2 (maximum 15 marks)

Please use primarily the information achieved from class lectures to answer the following questions.

- (a) (5 marks) What kind of applications use the language called PL/I?
- (b) (5 marks) What was the reason why PL/I did not become a mainstream language, like Fortran and Cobol?
- (c) (5 marks) What control statements were added to FORTRAN IV to get FORTRAN 77 and why?
- (d) (5 marks) Why does C++ include features of C that are known to be unsafe?
- (e) (5 marks) What kind of applications use scripting languages and why?
- (f) (5 marks) How do type declaration statements for simple variables affect the readability of a language, considering that some languages do not require them? Give at least two examples supporting your conclusion about readability.

2. Chapters 3 and 4 (maximum 70 marks)

- (a) (10 marks) Using the grammar:

$$\begin{aligned} \langle assign \rangle &\rightarrow \langle id \rangle = \langle expr \rangle \\ \langle id \rangle &\rightarrow a|b|c \\ \langle expr \rangle &\rightarrow \langle expr \rangle + \langle term \rangle \mid \langle expr \rangle - \langle term \rangle \mid \langle term \rangle \\ \langle term \rangle &\rightarrow \langle term \rangle * \langle factor \rangle \mid \langle term \rangle / \langle factor \rangle \mid \langle factor \rangle \\ \langle factor \rangle &\rightarrow (\langle expr \rangle) \mid \langle id \rangle \end{aligned}$$

show a parse tree and a rightmost derivation for: $a = b - (a - c * b)$

- (b) (7 marks) Modify the above grammar to add the **unary** cubic root value, with the symbol $\sqrt[3]{}$, whose precedence is higher than either of these binary operations: $+$, $-$, $/$, or $*$.
- (c) (10 marks) Prove that the following grammar is ambiguous

~~$S \Rightarrow aSSa|b$~~ $S \rightarrow aSSa|b|a$

- (d) (20 marks) Consider the following sequence of a program written in an unknown programming language:

```
type int128=signed integer[8] ;
    uint16=unsigned integer[4];
    int64 =signed integer[7];
    long=signed integer[64]
    double= signed floatingpoint[8][55];
```

Construct a context-free grammar (in BNF/EBNF format) such that the above sequence of program can be generated as a variable declaration.

- (e) (28 marks maximum) Consider the following sequence of a generic program written in an unknown programming language:

```
switch (j+4)
    1 { <statement>}
    a,b,c{ <statement>}
    2..10 { <statement>}
    12,abx,22{ <statement>}
    <statement>;
```

- i. (15 marks) Construct a context-free grammar (in BNF/EBNF format) such that the above sequence of program can be generated as a case statement.
- ii. (15 marks) Construct corresponding syntax graphs such that the above sequence of program can be accepted as a case statement.

3. Shells and scripts (maximum 30 marks)

This part has to be submitted on moodle as instructed in the slides.

- (a) (20 marks) Write one python script that performs the following two actions:
- i. (10 marks) We have an input ASCII file say `f.in`. The python script reads the content of `f.in` from the standard input, and produces the result at the standard output. The standard output of the python script is redirected to the file `f.out` using the execution command line.
 - ii. (10 marks) The python script has a built-in constant `x` ($x \geq 1$), and will swap the content of the file between lines 1 to `x-1` with the content of the file between lines `x` and the end of the file. We assume the value of `x` is the value of the line number. If `x` is greater than the length of the file measured in lines, then the content of the file between lines `x` and the end of the file is empty.
- (b) (20 marks) Repeat problem one, but this time using a UNIX Bourne shell script (use either `sh`, or `bash`).

For this problem, do not use any other construction than what we learned in this course.
Do not use language constructs¹ that are not in the slides.

¹instructions, function calls, libraries, and so on